

Peer Reviewed Scientific Publications

Autoimmune Diseases

- S. Brookes, S.B.A. Cohen, E.J. Price, L.M.C. Webb, M. Feldmann, R.N. Maini, P. Venables. (1996). T cell clones from Sjogrens syndrome salivary gland produce high levels of IL-10. *Clin. Exp. Immunol.* 103 , 268-272
- S.B.A. Cohen , P.D. Katsikis, C.Q. Chu, H. Thomssen, L.M.C. Webb, R.N. Maini, M. Londei, M. Feldmann. (1995). High IL-10 production by the activated T cell population within the rheumatoid membrane. *Arthritis and Rheumatism* . 38 , 946-952.
- R. Mullins, S.B.A. Cohen, L.M.C. Webb, Y. Chernajovsky, C. Dayan, M. Londei, M. Feldmann. (1995). Identification of thyroid stimulating hormone receptor-specific T cells in Graves' disease thyroid using autoantigen-transfected Epstein-bar virus-transformed B cell lines. *J. Clin. Invest* . 96 , 30-37.
- A.P. Cope, M. Londei, N.R. Chu, S.B.A. Cohen , M.J. Elliott, F.M. Brennan, R.N. Maini, M. Feldmann. (1994). Chronic exposure to tumor necrosis factor (TNF) in vitro impairs the activation of T cells through the T cell receptor/CD3 complex; reversal in vivo by anti-TNF antibodies in patients with rheumatoid arthritis. *J. Clin. Invest.* 94 , 749-760.14.
- S.B. Cohen , T. Diamantstein, A.P. Weetman. (1990). The effect of T cell subset depletion on autoimmune thyroiditis in the Buffalo strain rat. *Immunol. Lett.* 23, 263-268.
- W.P. Teng, S.B. Cohen , D.N. Posnett, A.P. Weetman. (1990). T cell receptor phenotypes in autoimmune thyroid disease. *J. Endocrinol. Invest.* 13 , 339-342.
- S.B. Cohen , A.P. Weetman. (1990). Serological analysis of experimental autoimmune thyroiditis in the rat. *Int. Arch. Allergy and Clin. Immunol.* 91, 47-53.
- A.P. Weetman, S.B. Cohen , K.C. Gatter, P. Fells, B. Shine. (1989). Immunohistochemical analysis of retrobulbar tissue in Graves' Ophthalmopathy. *Clin. Exp. Immunol.* 75 , 222-227.
- A.P. Weetman, S.B. Cohen , M.W. Makgoba, L.K. Borysiewicz. (1989). Expression of an intracellular adhesion molecule, ICAM-1, by human thyroid tissue. *J. Endocrinol.* 122 , 185-191
- A.P. Weetman, C.M. Black, S.B. Cohen , R. Tomlinson, J.P. Banga, C.B. Reimer. (1989). Affinity purification of IgG subclasses and the distribution of thyroid autoantibodies from patients with Hashimoto's thyroiditis. *Scand. J. Immunol.* 30 , 73-82.
- A.P. Weetman, S.B. Cohen , D.A. Oleesky, P.B. Morgan. (1989). Terminal complement complexes and C1\|C1 inhibitor complexes in autoimmune thyroiditis. *Clin. Exp. Immunol.* 77 , 25-30.
- S.B. Cohen , A.P. Weetman. (1988). Anti-thyroid drugs ameliorate thymectomy-induced experimental autoimmune thyroiditis. *Autoimmunity* . 1 , 57-58.
- S.B. Cohen , C.D. Dijkstra, A.P. Weetman (1988). Sequential analysis of experimental autoimmune thyroiditis induced by neonatal thymectomy of the Buffalo strain rat. *Cell. Immunol.* 114 , 126-136.
- S.B. Cohen , A.P. Weetman. (1988). The effect of iodine depletion and supplementation in the Buffalo strain rat. *J. Endocrinol. Invest.* 11 , 625-627
- S.B. Cohen , A.P. Weetman. (1988). Activated interstitial and intraepithelial lymphocytes in autoimmune thyroiditis. *Acta Endocrinol.* 119 , 161-166.
- A.P. Weetman, S. Cohen . (1987). The relationship of HLA-DR3 and the outcome after anti-thyroid drugs and the distribution of thyroid autoantibodies in Graves' disease. *Acta Endocrinol.* 114 , 292-297. .

- S.B.Cohen , A.P. Weetman. (1987). Characterisation of different types of experimental autoimmune thyroiditis in the Buffalo strain rat. *Clin. Exp. Immunol.* 69 , 25-32.
- A.P. Weetman, S.Cohen . (1986). The IgG subclass distribution of thyroid autoantibodies. *Immunol. Lett.* 13 , 335-341.

Placental Blood and Pregnancy

- Bogunia-Kubik K, Natarajan P, Brown S, Wolley J, Alcocer M, Fallen PR, Madrigal JA, Cohen SB (2003) Cord blood serum affects T cells ability to produce and respond to IL-2. *Cytokine_ Apr;22(1-2):42-9.*
- Katarzyna Bogunia-Kubik, Prasad Natarajan , J Alejandro Madrigal, Shara B A Cohen (2002). The effect of cord blood sera on CD69 expression. *Immunol Lett* 84(1), 77-80
- S B Cohen , J Woolley , K Bogunia-Kubik , P Natarajan , R Kotecha , L Belaramani , P R Fallen , I Perez-Cruz , J A Madrigal (2000). Macrophage Colony Stimulating Factor (M-CSF) within cord blood sera may be partially responsible for the reduced proliferation of cord blood T cells *Eur Cyt Net* 11(4):608-617
- I Perez-Cruz , P Fallen , J A Madrigal , S B Cohen (2000). Naive T cells from cord blood have the capacity to make type 1 and Type 2 cytokines *Immunology Letters* 75 (1), 85-88
- S.B.A. Cohen , C.L. Morgan, F. Perandin, I. Perez-Cruz, B.Martinez & J.A. Madrigal (2000). Cord blood serum does not increase lymphocyte responses in comparison to adult serum. *Human Immunology* 61 111-114
- E. Dominguez, J.A.Madrigal, S.B.A.Cohen (1998). Foetal Natural Killer cell function is suppressed. *Immunology* 94 , 109-114
- I. Perez-Cruz, E. Dominguez, J.A.Madrigal, S.B.A. Cohen (1998). Foetal lymphocytes are more sensitive to freezing than adult lymphocytes within a mononuclear cell environment [Meeting report]. *Bone Marrow Transpl.* 22 , S1, 41-43
- S.B.A. Cohen & J.A. Madrigal (1998). Immunological and functional differences between cord and peripheral blood. [Meeting report]. *Bone Marrow Transpl.* 21 , S3, 9-12
- E. Dominguez de Ortega, M.W. Lowdell, I. Perez, J. A. Madrigal, S.B.A. Cohen . (1997). Natural killer cell function is altered by freezing in DMSO. [Meeting report]. *Biochem. Trans.*, 25, 175
- B. Wardley-Smith, C. Dore, S. Monk, S. Cohen , S. Eustene, D. Hawley, M.J. Halsey. (1987). Effect of exposing mice to 50 ATA helium pressure at different stages of pregnancy. *J. Appl. Physiol.* 62, 978-982
- L. Frazer, S. Monk, B. Wardley-Smith, S. Cohen , M.J. Halsey. (1986). A comparison of fertility in vitro and in vivo after exposure to 50 ATA pressure. *Gam. Res.* 13 , 143-149.

Pure Immunology

- C. L. Morgan, C. P. Price, S.B.A. Cohen , J.A. Madrigal, and D.J. Newman (1999). Soluble CD8 stabilises the HLA class I molecule by promoting ? 2 m exchange: analysis in real-time. *Human Immunology* 60, 442-229
- C.L. Morgan, D.J. Newman, S.B.A. Cohen , P. Lowe, C. P. Price (1998). Real-time analysis of cell surface HLA class I interactions. *Biosensors and Bioelectronics* 13, 1099-1105
- C.L. Morgan, A. K. Ruprai, A. Solache, M. Lowdell, C. P. Price, S.B.A. Cohen, P. Parham, J. A. Madrigal, D. J. Newman (1998). The influence of exogenous peptide on b 2 -microglobulin exchange in the HLA complex: analysis in real time. *Immunogenetics* 48: 98-107

- S.B.A. Cohen , S.L.Parry, M. Feldmann, B. Foxwell (1997). Autocrine and paracrine regulation of human IL-10 production. *J. Immunol.* 158 , 5596-5602
- S.B.A. Cohen, J.B. Crawley, M.C. Kahan, M. Feldmann, B. Foxwell (1997). IL-10 rescues T cells from apoptotic cell death: association with an upregulation of Bcl-2. *Immunol.*92, 1-5
- S.B.A. Cohen , L.M.C. Webb, M. Feldmann. (1996). The method of obtaining T cell clones alters the IL-10 production. *Immunol.* 87 , 343-347.
- S.B.A. Cohen (1995). IL-10 and IL-3 synergies to cause proliferation of human T cells. *Immunol.* 85 , 351-356
- P.D. Katsikis, S.B.A. Cohen , J.G. Murison, J.M. Uren, L.M. Hibbart, R.E. Callard, F. Di Padova, M. Feldmann, M. Londei. (1995). Human $\alpha\beta$ T cell receptor CD4 - CD8 - T cell clones are predominantly Th0-like. *Immunol.* 84 , 501-504.
- P.D. Katsikis, S.B.A. Cohen , M. Londei, M. Feldmann. (1995). Are CD4 + Th1 cells pro-inflammatory or anti-inflammatory? The ratio IL-10 to IFN γ or IL-2 determines their function. *Int. Immunol.* 7 , 1287-1294.
- S.B.A. Cohen , P.D. Katsikis, M. Feldmann, M. Londei. (1994). IL-10 enhances expression of the IL-2 receptor α chain on T cells. *Immunol.* 83, 329-332. .
- S. Salvadori, A. Pizzimenti, S. Cohen , K.S. Zier. (1991). The control of class II expression on T cells is independent of the regulation of Tac and the induction of proliferation. *Clin. Exp. Immunol.* 86, 544-549

Renal Dialysis

- A. Zamauskaite, I. Perez-Cruz, M. Jaqoob, J.A. Madrigal, S.B.A. Cohen (1999) Effect of renal dialysis therapy modality on T cell cytokine production. *Nephrology, Dialysis, Transplantation* 14, 49-55
- A.Zamauskaite, J.A. Madrigal, M. M. Yaqoob, S.B.A. Cohen. (1999). The frequency of Th2 type cells increases with time on peritoneal dialysis in patients with diabetic nephropathy. *Eur. Cyt. Net* 10, 219-226

Vaccines

- A.B. McDermott, J.A. Madrigal, C.A. Sabin, J. N. Zuckerman, S.B.A. Cohen . (1999). The influence of host factors and immunogenetics on lymphocyte responses to Hepagene vaccination . *Vaccine* 17 , 1329-1337
- A.M.McDermott, S.B.A.Cohen , J.N Zuckerman, J.A.Madrigal (1999) . Human leukocyte antigens influence the immune response to a Pre-S/S hepatitis B vaccine. *Vaccine* 17, 330-339.

Letters

- K. Bogunia-Kubik, I. Perez-Cruz, P. R. Fallen, J.A Madrigal, S B.A. Cohen (2000). Cord blood (CB) lymphocytes have a low frequency of cytokine producing T cells due to a high threshold For Activation *Immunology Letters* 72 , 145-146
- S.B.A. Cohen (2000). How should we present our cytokine profile data? *Immunology Today* 21 , 199.

Examples of Published Scientific Reviews

- S.B.A. Cohen After-Life of the Afterbirth (2000). Summary of the Inaugural meeting of the UK Cord Blood Immunology Group

- S.B.A. Cohen Proceedings of the (2000) Annual UK Cord Blood Immunology Group (2000)
- S.B.A. Cohen, X. N. Wang, A. Dickinson (2000). Can Cord Blood Cells Support The Cytokine Storm In GvHD? Cytokine and Growth Factor Reviews 11, 185-197
- I.Perez-Cruz, S.B.A. Cohen , J.A. Madrigal. (1999) Produccion de citocinas por linfocitos de cordon umbilical. Relacion con el transplante alogenico de celulas multipotenciales. Hematol. Citocinas Inmunoter. Ter. Cel. 2:6 425-233
- S.B.A. Cohen , I. Perez-Cruz, P. Fallen, E. Gluckman, J.A. Madrigal (1999). Analysis of the cytokine production by cord and adult blood. Human Immunol. 60, 331-336 .
- S.B.A. Cohen , E. Dominguez, M. Lowdell & J.A. Madrigal (1998). The Immunological properties of cord blood: Overview of current research presented at the 2nd EUROCORD Workshop. Bone Marrow Transpl . 22 , S1 22-25
- A.B. McDermott, S.B.A. Cohen , J. N. Zuckerman, J. A. Madrigal (1998). Hepatitis B Third Generation Vaccines: Improves Response And Conventional Vaccine Non-Response - Evidence For Genetic Basis In Man. Journal of Viral Hepatitis 5, (S2) 9-11 .
- J.A. Madrigal, S.B.A. Cohen , E. Gluckman, D.J. Charron (1997). Does cord blood transplantation result in lower graft-versus-host disease? It takes more than two to tango. Human Immunol . 56 , 1-5.

Examples of Published Abstracts

- I. Perez-Cruz, P. Fallen, K. Bogunia-Kubik, P.R. Fallen, J. A. Madrigal, S.B.A. Cohen (1999) Cord Blood (CB) lymphocytes have a low frequency of cytokine producing cells due to a high threshold for activation. Jour. Interf. Cytok. Research , 19 (1) S:156.
- P.R. Fallen, K. Bogunia-Kubik, I. Perez-Cruz, M. Tesfamicael, J.A. Madrigal, S.B.A. Cohen (1999). The phenotypic and functional characteristics of cord blood (CB) natural killer cells are not comparable. Eur. J. Immunogenetics . 26, (1) p53 A4.2
- I. Perez-Cruz, P.R. Fallen, J.A. Madrigal, S.B.A. Cohen (1999). CD45RA+CD3+ naive lymphocytes from cord blood can achieve high IL-2 and IL-4 production compared to their adult counterparts Eur. J. Immunogenetics . 26, (1) p53 A4.3
- K. Bogunia-Kubik, I. Perez-Cruz, P. Fallen, M. Tesfamicael, J.A. Madrigal, S.B.A. Cohen (1999). Does the cellular microenvironment explain the reduced cytokine production of cord blood lymphocytes? Eur. J. Immunogenetics . 26, (1) p54 A4.4
- Perez-Cruz, J.A. Madrigal, S.B.A. Cohen. Characterisation of the t cell cytokine phenotype of reactive cells in the mixed lymphocyte reaction (1998). Eur. J. Immunogen. 25 (1)
- S.B.A. Cohen . E. Dominguez, B. Martinez , I. Perez-Cruz, M. Contreras, C. Navarette, J. A. Madrigal (1997). Foetal serum lacks a factor necessary for T and natural killer cell activation. Human Immunol. 55, 79
- E. Dominguez de Ortega, M.W. Lowdell , I. Perez , J. A. Madrigal, S.B.A. Cohen. (1997). Freezing natural killer cells alters their function. European Journal of Immunogenetics . 24 (1):42
- A. Zamauskaite, M. Yaqoob, L.R.I Baker, A. Madrigal, S.B.A. Cohen (1997). Identification of a Th2 cytokine profile in insulin dependant diabetes mellitus (IDDM) dialysis patients. Nephrology, 3, P698
- A.Mcdermott, J. Zuckerman, S. Marsh, S.B.A. Cohen, J. A. Madrigal. (1997). Role of DQB1*0202 in antibody non-response to Hep-B3 vaccination, Human Immunology 55, 24

- A.Mcdermott, J. Zuckerman, S. Marsh, S.B.A. Cohen, J. A. Madrigal. Role of DQB1*0202 in antibody non-response to Hep-B3 vaccination (1997) *Human Immunol.* 55, 24
- E. Dominguez de Ortega, M.W. Lowdell, I. Perez, J. A. Madrigal, S.B.A. Cohen. (1997). Natural killer cell function is altered by freezing in DMSO. *Biochem. Trans.* , 25, P175
- E. Price, S.B.A. Cohen, S.M. Brookes, L.M.C. Webb and P.J.W. Venables (1996). T cell clones from a subset of patients with primary Sjogren's syndrome produce high levels of IL-10. *Brit. J. Rheum.* 35, Supplement. 1, P16
- E. Dominguez de Ortega, M.W. Lowdell, I. Perez, J. A. Madrigal, S.B.A. Cohen. (1996). Natural killer cell function is altered by freezing in DMSO. *Immunol.* , 89, Supplement 1, P34, Abstract E52
- S.B.A.Cohen , S.L. Parry, I. Perez, A. Madrigal, B. Foxwell , M. Feldmann (1996). The secretion of IL-10 by human Th1 type cells can determine the function of the cell. *Blood* , 88, 312.
- S.B. Cohen, M. Feldmann and B. Foxwell (1995). IL-10 production by human T cells is driven by IL-2. *Cytokine*, 7, 623, A172.
- S Brookes, S.B.A. Cohen, L. Price, L.M.C. Webb, P. Venables, M. Feldmann, R.N. Maini (1995). T cells from Sjogren's syndrome tissue produce more IL-10 compared to the peripheral blood. *Vth International Symposium on Sjogren's Syndrome*. Noordwikerhout, The Netherlands [June].
- R. Mullins, S.B.A. Cohen, L.M. C. Webb, Y. Chernajovsky, C. Dayan, M. Londei and M. Feldmann. (1994). Autoresponsive T cells from Graves' Disease (GD) thyroids: heterogeneity of cytokine release by T cell clones specific for TPO and TSH receptor. *Australian Society of Immunology, Australia* . [December]
- S. Brookes, S.B.A. Cohen, E.J. Price, L.M. C. Webb, M. Feldmann and R.N. Maini (1994) T cells cloned from a Sjogren's syndrome salivary gland: high IL-10 production by CD4 T cells. *Immunology*, 83, Supplement 1, Abstract W1. 13. P29.
- A.P. Cope, M. Londei, N. R. Chu, S.B.A. Cohen, R. N. Maini, F.M. Brennan and M. Feldmann (1994). Chronic exposure to TNF suppresses T lymphocyte functions in vitro and in vivo. *Euro. Cytokine Netw.* 5.
- A.P.Cope, M. Londei, N.R. Chu, S.B.A. Cohen, M. J. Elliott, F.M. Brennan, R.N. Maini and M. Feldmann (1994). Chronic exposure to TNF in vitro impairs the activation of T cells through the T cell receptor/CD3 complex; reversal in vivo by anti-TNF antibodies in patients with rheumatoid arthritis. *FASEB Meeting, Los Angeles, U.S.A.* [April]
- S.B.A. Cohen, P. D. Katsikis, C.Q. Chu, H. Thomssen, R.N. Maini, M. Feldmann, M. Londei (1994). T cell clones obtained from the joints of rheumatoid arthritis patients are predominantly high IL-10 producers. *Clinical Rheumatology* . 13, 1.
- S.B.A. Cohen, K.S. Zier. (1991). Expression of HLA-DNA and HLA-DOB on human T cells. *The Mount Sinai Journal of Medicine, New York, USA* . 58, 22.
- A.P. Weetman, T. Diamanstein, S.B.A. Cohen. (1988). The evolution of experimental autoimmune thyroiditis (EAT) in thymectomised Buffalo (Buf) strain rats. *J. Endocrinol.* 117, (Supplement). Abstract 268.
- S.B.A. Cohen, M.J. Halsey, B. Wardley-Smith. (1984). Pressure reversal of Benzodiazepine "anesthesia". *Brit. J. Anaes.* 56, 806-807.